

AGUIRA



Flat | Cliché

PRODUCT DESCRIPTION

Aguira Series 100% Electric Flatbed Hot Stamping Machines, available in a variety of different sizes and configurations.



FEATURES

- High Quality, Accuracy and Stability Equipment
- Easy cliché and foil changing system
- Automatic Motorized Film Winding Roll for Film Winding
- Temperature Selector by Dedicated Controller and Solid State Relay with Zero Pass Function.
- Safety barrier to protect the operator
- Shuttle Type Work Table for Inserting the Workpiece in Position Away from the Heat Zone (Optional)

TECHNICAL DATA

Models	Aguira 200	Aguira 250	Aguira 300	Aguira 400	Aguira 600
Maximum Stamping Area [mm]	150x200	200x250	250x300	300x400	400x600
Maximum Object Height [mm]	250				
Stamping Head Stroke [mm]	100 Motorized Servo				
Maximum Stamping Force [kgf]	2000	2000	3000	4000	5000
Temperature [°C].	Environment - 280				
Foil Movement	Engine				
Stamping speed [ciclos/h]	1300	1300	1000	600	350
Power Resistors [W]	500	700	1000	2000	3000
Feeding [V/Hz]	230V-50/60Hz			380V-50/60Hz	
Weight [kg]	300	400	600	800	1000

QUALITY

- Designed for industry according to European standards
- Parts machined in our machining centers



- Laser cut and CNC bent structure
- Original electronics and pneumatics of leading brands

SECURITY

- Emergency Shutdown
- Safety Barrier
- Safety relay
- Contactors for power cut-off of the resistors.

VIDEO

La información detallada en el presente documento es únicamente a título informativo, puede contener errores y no tiene ningún carácter contractual.