

AIR



1 Color | Ø60-90mm Inkcups

PRODUCT DESCRIPTION

Electro-Pneumatic Pad Printing Machine Economical and very practical to perform pad printing jobs in 1 color or several colors (registering piece).



FEATURES

- 1 Color
- Quick-change ink/doctoring plate assembly system
- Digital parts counter

TECHNICAL DATA

Cycle	1 Cycle or Automatic
Part Counter	Yes, sequential
Speed Adjustment	Yes, flow regulator
Speed	up to 2500 p/h
Variable Buffer Stroke	30-100mm in Cliché and Piece (Independent)
Maximum tampon height	95mm
Pressure Force	750N
Drive	Electro-Pneumatic
Control	Manual Selector
Control Voltage	DC24V
Feeding	230V - 50/60Hz
Electric Consumption	2A
Compressed Air	Drying and Filtering 5-6 bar
Air Consumption	75l/min
Dimensions	L800xW200xH800mm
Weight	35Kg

SECURITY

- Emergency Shutdown
- Soft start valve
- Pneumatic safety valve with limit switch sensor

QUALITY

- Designed for industry according to European standards
- Parts machined in our machining centers
- Laser cut and CNC bent structure
- Original pneumatics of leading brands



- Position sensors for non-contact actuators

La información detallada en el presente documento es únicamente a título informativo, puede contener errores y no tiene ningún carácter contractual.